

---

**Georiviere**

***Release 1.0.4***

**Makina Corpus**

**Apr 05, 2023**



# USER MANUAL

<b>1 Common features</b>	<b>3</b>
1.1 Interface . . . . .	3
<b>2 Modules</b>	<b>5</b>
2.1 Streams . . . . .	5
2.2 Descriptions . . . . .	5
2.3 Knowledges . . . . .	6
2.4 Follow-ups . . . . .	6
2.5 Stations . . . . .	6
2.6 Studies . . . . .	6
2.7 Finance and administrative files . . . . .	6
2.8 Proceedings . . . . .	6
2.9 Interventions . . . . .	6
<b>3 Configuration</b>	<b>7</b>
<b>4 Import data</b>	<b>11</b>
4.1 Import data . . . . .	11
4.2 Import altimetry file . . . . .	12
4.3 Import stations from Hub'Eau . . . . .	12
4.4 Import data references from Sandre . . . . .	12
4.5 Import zoning data from file . . . . .	13
<b>5 Install instructions</b>	<b>15</b>
5.1 Requirements . . . . .	15
5.2 Install . . . . .	15
5.3 Update . . . . .	16
<b>6 Basic settings</b>	<b>17</b>
6.1 Spatial reference identifier . . . . .	17
6.2 Default Structure . . . . .	17
6.3 Translations . . . . .	17
6.4 Spatial Extent . . . . .	17
<b>7 Advanced settings</b>	<b>19</b>
7.1 Georiviere settings . . . . .	19
7.2 Based on Geotrek or Mapentity settings . . . . .	19
<b>8 Install local Environment</b>	<b>21</b>
8.1 Installation . . . . .	21
8.2 Tests . . . . .	21

8.3 Dependencies . . . . .	22
<b>9 Documentation</b>	<b>23</b>
<b>10 Publication</b>	<b>25</b>
10.1 CI . . . . .	25
10.2 Release . . . . .	25
10.3 Docker image . . . . .	25
<b>11 Authors</b>	<b>27</b>
11.1 Authors & trademark . . . . .	27
<b>12 Changelog</b>	<b>29</b>
12.1 CHANGELOG . . . . .	29
<b>13 Indices and tables</b>	<b>33</b>

Georiviere-admin is an application to handle aquatic environment (stream, river, watersheds...) in a given territory.  
It is a [Django](#) application, based on [Geotrek-admin](#) and [Mapentity](#).




## COMMON FEATURES

Since Georiviere is based on Geotrek-admin, it has the same features:

- display and edit contents with theirs geom
- export contents in ODT/DOC, PDF, GPX or shape files
- add linked files
- history

### 1.1 Interface



To get more detail on how add and edit contents, have a look on [Geotrek-admin documentation](#) (in french).



**MODULES**

Several modules are available in Georiviere, to display and edit professional content:

- Streams
- Descriptions (usage, land, morphology, status)
- Knowledges (vegetation, work or other knowledges)
- Follow-ups for a given knowledge
- Stations (hydrometric, temperature, physico-chemical quality or other types)
- Studies
- Finance and administrative files
- Proceedings
- Interventions (on knowledges)

In a content detail page, nearby other contents are displayed.

## 2.1 Streams

Streams is a line with a source location and flow type. Length is computed from geometry.

## 2.2 Descriptions

Four description models are available:

- usage
- land
- morphology
- status

Land and morphology have both a geom relative to a stream, and are created along to a stream on its creation. They can be cut to edit more precisely their attributes.

Usage and status are both standalone geometry and can be whatever point, line or polygon.

## **2.3 Knowledges**

Knowledges can be a point, line or polygon about a stream, of vegetation, work or other type.

Vegetation and work type knowledges have specific fields. For this, first value in type\_connaisance = végétation and second value = ouvrage.

## **2.4 Follow-ups**

Follow-ups can be added to a knowledge, to take regular readings related to this knowledge.

## **2.5 Stations**

Stations are points of measures, but they can be line or polygon too. Tracked parameters can be added to a station, with their name, measure and transmission frequency, etc.

Station of hydrometric, temperature, physico-chemical quality can be imported from Hub'Eau API.

## **2.6 Studies**

A study is just a content with authors and year.

## **2.7 Finance and administrative files**

Estimated or actual costs, fundings, or organisations involved in a project can be filled in an administrative file.

Every content in georiviere can be linked to an administrative file with operation, and for each you can edit its estimated, material, sub-contracting or man-days costs.

## **2.8 Proceedings**

A proceeding can list all juridic events related to it.

## **2.9 Interventions**

Intervention is a maintenance intervention related to a follow-up.

---

## CHAPTER THREE

---

### CONFIGURATION

To customize lists for each module, go to django administration page.



- **Description**

- Bank states
- Facies diversities
- Flow types
- Granulometric diversities
- Habitat types
- Habitats diversities
- Land types
- Plan layout types
- Sediment dynamics
- Status types
- Usage types
- Working space types

- **Finances and administration**

- Admin file domains

- Admin file types
- Administrative operations
- Job categories
- Organisms
- **Knowledge**
  - Age class diversities
  - Follow-up types
  - Knowledge types
- **Vegetations:**
  - \* Specific diversities
  - \* Vegetation states
  - \* Vegetation stratas
  - \* Vegetation thickness types
  - \* Vegetation types
- **Work:**
  - \* Work bank effects
  - \* Work fish continuity effects
  - \* Work materials
  - \* Work sediment effects
  - \* Work states
  - \* Work stream influences
  - \* Work types
- Main: File types
- **Maintenance**
  - Intervention's disorders
  - Intervention's stakes
  - Intervention's statuses
  - Intervention's types
  - Interventions
- **Observations**
  - Parameter categories
  - Parameters
  - Station profiles
  - Units
- Proceeding: Event types
- Studies Study types

- **Watershed**

- Watershed types
- Watersheds

- **Zoning**

- Cities
- Districts
- Restricted area types
- Restricted areas



## IMPORT DATA

To import data, you have to run these commands from the server where Georiviere-admin is hosted.

### 4.1 Import data

Put your data file named CoursEau\_FXX.shp in var/ folder, and run command

Custom your import file named import\_bdtopage.py et put this file in georiviere/

```
#!/usr/bin/env python
import os
import django
import logging
from django.contrib.gis.gdal import DataSource

os.environ.setdefault('DJANGO_SETTINGS_MODULE', 'georiviere.settings')
django.setup()
from geotrek.authent.models import Structure
from django.contrib.gis.geos.collections import MultiLineString
from georiviere.river.models import Stream

# get first structure, adapt with correct structure
structure = Structure.objects.first()

ds = DataSource('var/CoursEau_FXX.shp')

for feat in ds[0][4:]:
    try:
        # get geos object
        geom = feat.geom.geos
        # force 2D
        geom.dim = 2
        name = feat.get('name') or 'No name'
        flow = feat.get('flow')
        if flow == 1:
            flow = 1
        elif flow == 2:
            flow = 2
        else:
            flow = 0
```

(continues on next page)

(continued from previous page)

```
        stream = Stream.objects.create(structure=structure,
                                         geom=feat.geom,
                                         name=name,
                                         flow=flow)

    except Exception as exc:
        logging.warn(exc, feat.geom.geos.ewkt)
```

And run command : docker compose run --rm web ./import\_bdtopage.py

## 4.2 Import altimetry file

Put your altimetry file in var/ folder, and run command

```
docker-compose run --rm web ./manage.py loaddem <dem_path>
```

where &lt;dem\_path&gt; is /opt/georiviere-admin/var/my\_dem\_file.tif

## 4.3 Import stations from Hub'Eau

Stations can be imported from french Hub'Eau APIs :

- Temperature stations with import\_temperature\_stations
- Hydrometry with import\_hydrometric\_stations
- Physico-chemical quality with import\_pcquality\_stations

Optional arguments:

```
--department DEPARTMENT [DEPARTMENT ...]
                  Department code
-p, --with-parameters
                  Get also parameter tracked by the station
--size SIZE
                  Results per page
```

Example:

```
docker-compose run --rm web ./manage.py import_pcquality_stations --department 39,25
```

## 4.4 Import data references from Sandre

Some data references can be imported from Sandre, for now only units are imported.

Usage:

```
docker-compose run --rm web ./manage.py import_reference_data
```

## 4.5 Import zoning data from file

Put your files into var/ folder as for altimetry profile import.

### 4.5.1 Load cities

Load Cities from a file within the spatial extent : loadcities <file\_path>

Optional arguments::

```
--code-attribute CODE, -c CODE
    Name of the code's attribute inside the file
--name-attribute NAME, -n NAME
    Name of the name's attribute inside the file
--encoding ENCODING, -e ENCODING
    File encoding, default utf-8
--srid SRID, -s SRID  File's SRID
--intersect, -i      Check features intersect spatial extent and not only within
```

Example:

```
docker compose run --rm web ./manage.py loadcities /opt/georiviere-admin/var/commune.shp
  ↪--name-attribute nom --code-attribute insee_com
```

### 4.5.2 Load districts

Load Districts from a file within the spatial extent loaddistricts <file\_path>

Optional arguments::

```
-h, --help          show this help message and exit
--name-attribute NAME, -n NAME
    Name of the name's attribute inside the file
--encoding ENCODING, -e ENCODING
    File encoding, default utf-8
--srid SRID, -s SRID  File's SRID
--intersect, -i      Check features intersect spatial extent and not only within
```

Example:

```
docker compose run --rm web ./manage.py loaddistricts /opt/georiviere-admin/var/epci.shp
  ↪--name-attribute nom --code-attribute code_siren
```

### 4.5.3 Load Restricted Area

Load Restricted Area from a file within the spatial extent `loadrestrictedareas <file_path>` and specify the name of the Area type

Optional arguments::

```
-h, --help           show this help message and exit
--name-attribute NAME, -n NAME
                  Name of the name's attribute inside the file
--encoding ENCODING, -e ENCODING
                  File encoding, default utf-8
--srid SRID, -s SRID  File's SRID
--intersect, -i      Check features intersect spatial extent and not only within
```

Example:

```
docker compose run --rm web ./manage.py loadrestrictedareas /opt/georiviere-admin/var/
˓→pnrhj.shp PNR --name-attribute nom
```

### 4.5.4 Import watershed

To import, use QGIS and edit watershed\_watershed layer and specify “name” and “watershed\_type\_id” in attributes

## INSTALL INSTRUCTIONS

### 5.1 Requirements

- You need docker installed. Docker-compose is recommended in the configuration below.  
See Docker and Docker compose install documentations.
- Optional : if you want to use external database, prepare a postgresql 10+ postgis2.5+ database with postgis and postgis\_raster enabled, and a dedicated user.

You can use external database by commenting postgres container and volume references in docker-compose.yml, and set variables :

- POSTGRES\_HOST
- PGPORT
- POSTGRES\_USER
- POSTGRES\_PASSWORD
- POSTGRES\_DB

Add local IPs in *pg\_hba.conf* to allow connection from docker containers to your database.

- You can use external nginx proxy. Edit provided nginx conf file and comment nginx references in docker-compose.yml. Fix web:8000 to 127.0.0.1:8000 in nginx.conf.

### 5.2 Install

- Download [zip package](#)
- Unzip it where you want

```
unzip install.zip  
cd georiviere
```

- Prepare environment variables

```
mv .env.dist .env
```

-> Set all required values

- Pull images

```
docker-compose pull
```

(Use `docker compose` **if** docker-compose version is >=2.4.x)

- Init default var folder

```
docker-compose run --rm web bash -c "exit"
```

- Set at least these variables in var/conf/custom.py:

- SRID
- DEFAULT\_STRUCTURE\_NAME
- SPATIAL\_EXTENT

As geotrek overlay, these settings should be set BEFORE database initialization. See *Basic settings* for details

- Init database and project config

```
docker-compose run --rm web update.sh
```

- Create your super user

```
docker-compose run --rm web ./manage.py createsuperuser
```

- Load initial data

```
docker-compose run --rm web ./manage.py loaddata georiviere/**/fixtures/basic.json
```

- Launch stack

```
docker-compose up -d
```

## 5.3 Update

- Read [release notes](#) about bugfix, news and breaking changes.

- Backup your data (database and var folder)

- Pull latest image

```
docker-compose pull
```

- Run post update script

```
docker-compose run --rm web update.sh
```

- Relaunch you docker-compose stack

```
docker-compose down  
docker-compose up -d
```

## BASIC SETTINGS

Settings can be overriden in var/conf/custom.py file.

Basic settings should be defined on installation. See *Geotrek-admin documentation* <<https://geotrek.readthedocs.io/en/master/advanced-configuration.html#basic-settings>> for details.

### 6.1 Spatial reference identifier

```
SRID = 2154
```

Spatial reference identifier of your database. Default 2154 is RGF93 / Lambert-93 - France

### 6.2 Default Structure

```
DEFAULT_STRUCTURE_NAME = "GEOTEAM"
```

Name for your default structure.

### 6.3 Translations

```
MODELTRANSLATION_LANGUAGES = ('en', 'fr', 'it', 'es')
```

Languages of your project. It will be used to generate fields for translations. (ex: description\_fr, description\_en)

### 6.4 Spatial Extent

```
SPATIAL_EXTENT = (105000, 6150000, 1100000, 7150000)
```

Boundingbox of your project : x minimum , y minimum , x max, y max



## ADVANCED SETTINGS

More settings can be overriden in var/conf/custom.py file.

After any change in custom.py, run:

```
docker compose restart
```

### 7.1 Georiviere settings

Base intersection margin

```
BASE_INTERSECTION_MARGIN = 2000
```

### 7.2 Based on Geotrek or Mapentity settings

Some settings come from Geotrek-admin or Mapentity, on which Georiviere is based:

- Email settings
- Change or add WMTS tiles layers
- Map layers colors and style

See Geotrek-admin documentation for further information.



## INSTALL LOCAL ENVIRONMENT

### 8.1 Installation

- Configuration

To get local environment working, we recommend to use a custom domain, as ‘georiviere.local’. Define it in your /etc/hosts.

Copy the env dist file

```
cp .env.dist .env
```

Set required values, for postgres database access

- Init database:

```
docker-compose run --rm web ./manage.py migrate
```

- Create user:

```
docker-compose run --rm web ./manage.py createsuperuser
```

- Run:

```
docker-compose up
```

### 8.2 Tests

- Launch tests :

```
docker-compose run --rm web ./manage.py test
```

- With coverage :

```
docker-compose run --rm web coverage run ./manage.py test
docker-compose run --rm web coverage report -m
```

## 8.3 Dependencies

- Manage all project dependencies with pip-tools
- Use included pip-tools to generate requirements (python version should match georiviere version)

Global dependencies:

Set global dependency in requirements.in

```
docker-compose run --rm web pip-compile
```

**pip-tools** does not upgrade any package by default. Package is upgrade only if new dependency require another version that already fixed in requirements.txt file.

To upgrade a package, run:

```
docker-compose run --rm web pip-compile --upgrade-package django==3.1.*
```

Development packages are separated in dev-requirements.in. dev-requirements.txt depends on requirements.txt.

```
docker-compose run --rm web pip-compile dev-requirements.in
```

**Warning:** Geotrek is used as main library of this project. Sub-dependencies are not yet managed in geotrek setup.py. When you update geotrek, you should update requirements according geotrek dependencies versions.

---

**CHAPTER  
NINE**

---

## **DOCUMENTATION**

We use sphinx doc and sphinx-rtd-theme.

Requirements are included.

To compile and test documentation on local environment, run :

```
docker-compose run --workdir /opt/georiviere-admin/docs --rm web make html
```



## 10.1 CI

- Each edition runs a CI build.
- All Georiviere-admin maintainers can review or merge Pull Requests.
- First time contributor not in maintainer team can request to be added. Maintainers can accept its first pull request to allow CI build.

## 10.2 Release

To release a new version :

- set version to georiviere/VERSION file.
- set changelog infos in docs/changelog.rst
- push or merge to master
- Go to <https://github.com/Georiviere/Georiviere-admin/releases>.
- Click on “Draft a new release”
- set new tag according older ones.
- Copy / paste changelog for version in release notes.
- In the end, CI publish publish new docker image to github packages.

## 10.3 Docker image

- Docker image is published after each release in Georiviere github repository: [ghcr.io/georiviere/georiviere-admin:latest](https://ghcr.io/georiviere/georiviere-admin:latest)



## 11.1 Authors & trademark



- **Georiviere**, community software available under Open Source licence.
- Trademark is registered to **Institut National de la Propriété Intellectuelle** as a word mark under n°4691040.
- Brand policy

### 11.1.1 Makina Corpus

- Emmanuelle Helly
- Timothée de Montety
- Jean-Etienne Castagnede

### 11.1.2 Credits

#### Icons

- Stream : Creative Commons, Adrien Coquet, FR
- Work : construction sign work from [SVG Repo](<https://www.svgrepo.com/svg/307735/construction-sign-work>) - CC0
- Observation : observation from [SVG Repo](<https://www.svgrepo.com/svg/293710/observation>) - CC0
- Knowledge : idea from [SVG Repo](<https://www.svgrepo.com/svg/293713/idea>) - CC0
- Finance & administration : report from [SVG Repo](<https://www.svgrepo.com/svg/58321/report>) - CC0
- Studies : research from [SVG Repo](<https://www.svgrepo.com/svg/109479/research>)

- Description : Makina Corpus, derivated from [SVG Repo](<https://www.svgrepo.com/svg/258092/route-start>) - CC0
- Scissors from [SVG Repo](<https://www.svgrepo.com/svg/82088/opened-scissors>)

## CHANGELOG

### 12.1 CHANGELOG

#### 12.1.1 1.0.4 (2023-04-05)

##### Enhancement

- Add field classification water policy on rivers (#117)
- Add possibility to show geometries overprinted on topologies (#105)
- Add possibility to create attachment with external link
- Add command import hydrobiologie stations hubeau
- Upgrade api hubeau PC quality
- Add control type on Land module
- Add phases on Administrative Files
- Allow to create operations directly from creation of studies / follow ups / interventions / stations

##### Bug fixes

- Fix update attachments save buttons

#### 12.1.2 1.0.3 (2022-12-15)

##### Enhancement

- Change secondary flow and habitat to multiselect field in description module
- Add fields to work : upstream and downstream bed impact, water impact
- Change vegetation strata field into a multiselect field

##### Bug fixes

- Display flow and source in stream detail
- Add flow filter in stream list
- Fix standalone intervention creation bug (#93)

##### Documentation

- Update doc installation
- Fix install doc with PostgreSQL not in Docker

### **12.1.3 1.0.2 (2022-05-22)**

#### **Bug fixes**

- Fix `./manage.py loaddem ...` command by including postgis libraries

### **12.1.4 1.0.1 (2022-03-30)**

#### **Enhancement**

- Add data source and flow to stream

### **12.1.5 1.0.0 (2022-03-10)**

#### **Enhancement**

- Add chosen multiselect on usage types
- Remove unused fields from Station form
- Get more data from Hubeau (start and end measure dates, measure type)
- Change base buffer width
- Change module picto colors
- Improve map color settings
- Display layers for all modules

#### **Bug fixes**

- Display missing unit
- Fix pip-tools / pip incompatibility

### **12.1.6 0.9.9 (2022-01-25)**

#### **Enhancement**

- External link to station opened in new window
- Add unit on distance fields
- Remove secondary information from station detail
- Add chosen on some multiselect fields

#### **Bug fixes**

- Remove unwanted padding on lists
- Fix filter in service for stations
- Remove useless restricted area filter, replaced by zoning filter

#### **Dependencies**

- Update to django-mapentity 7.0.6 and Geotrek 2.75.0

## **12.1.7 0.9.8 (2022-01-20)**

### **Features**

- Display distance from object to stream source

### **Enhancement**

- Improve morpho display

### **Bug fixes**

- Fix translations

## **12.1.8 0.9.7 (2021-12-23)**

### **Enhancement**

- Change module order
- Add help text for multiselect

### **Bug fixes**

- Fix logo header for PDF
- Fix man-days and costs display
- Fix translations

### **Dependencies**

- Update to django-mapentity 7.0.5 and Geotrek 2.74.1

## **12.1.9 0.9.6 (2021-12-09)**

- Use mapentity standalone release
- Improve documentation
- Add source location on a stream
- Make cut topology simpler
- Add help message on how edit man-days cost
- Fix filters on intervention and follow-ups

## **12.1.10 0.9.5 (2021-11-08)**

- Improve documentation
- Improve README, maintainers and brand mark policy

**12.1.11 0.9.4 (2021-11-05)**

- First code publication

---

CHAPTER  
**THIRTEEN**

---

## **INDICES AND TABLES**

- genindex
- modindex
- search